



U.S. UTILITY Patent Application

O.I.P.E. PATENT DATE

AGAINNED ATM

O.A. A.G.

100 PM		*	ំប់រ	The state of the s		garage and the same special sections and
APPLICATION NO. 09/628168	CONT/PRIOR	CLASS 349 345	SUBCLASS 32	2871 2875	EXAMINER	Honce
ဖို့ Jong-Chul	Chai					ALL STATES
PLICA					;	
<b>b</b> evice for	enhancin	a contras	t in lim	id crysts	l display	projection
* System?	C. 11 (C.) (C. 21)	5. C.C.I.C.I.C.	one and a surper	itu elyaca.	п птрытай	b. chemoral.
Ħ .		•				PTO-2040

			- J. 3/2			á.	Acre	û			4 1				,.,	0.00043		A				oda.mo	
			×			18			IS	SUII	NG (	CLA	SSI	IFIC	ATI	ON			`,			Š	4.
ORIGINAL					CROSS REFERENCE(S)																		
		CL	ASS			SUB	CLA:	SS	L	CLAS	35	and a	SU	BCLA	SS (C	NE SL	JBCL	ASS P	ER B	LOCK	()		, X
	Øs.			gw r	1	Min and an		.,						5									
18	(TE	ERN	ITA	ONA	L CL	ASSI	FICA	TION			ali a							i danakan	v . l				
	<b>.</b>			, K	. ,					****			1.0		1.		**						
7.			34													- 1			7				
		Á	× 1			in de L									9 4				3	· · ·			17: 50 12: 30 13: 30
		and the same	× * * * * * * * * * * * * * * * * * * *	7	1.10							<b> </b> .						-					
	alla.			d.	. ·					)s.					E	Cont	inued (	on Issu	e Slip	Inside	File Ja	cket	

TERMINAL	, ·	DRAWINGS	CLAIMS ALLOWED					
DISCLAIMER)	Sheets Drwg.	Figs. Drwg.	Print Fig.	Total Claims	Print Claim for O.G			
The term of this patent				NOTICE OF ALLOWANCE MAILED				
subsequent to (date) has been disclaimed.	, (Assistant I	Examiner)	(Date)					
The term of this patent shall				\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	The state of the s			
not extend beyond the expiration date of U.S Patent. No.				ISSUE FEE				
		*	,	Amount Due	Date Paid			
	(Primary E	examiner)	(Date)					
The terminalmonths of			à à	ISSUE BAT	CH NUMBER			
this patent have been disclaimed.	(Legal Instrume	ents Examiner)	(Date)					
this patent have been disclaimed.  WARNING: The information disclosed herein may be res Possession outside the U.S. Patent & Trader	stricted. Unauthorized	disclosure may be	prohibited by the I		5, Sections 122, 18			

Best Available Copy